

Single First Product

<b>CAN Controller Status</b>					
<b>Boom Cals</b>			<b>Miscellaneous</b>		
<b>1</b>	<b>960</b>		<b>Speed Sensor</b>	<b>Radar</b>	
<b>2</b>	<b>960</b>		<b>Speed Cal</b>	<b>600</b>	← 600 for Raven Radar, 785 for Raven Satellite
			<b>Self Test</b>	<b>0</b>	
			<b>Fan RPM</b>	<b>0</b>	
			<b>Speed Sensor</b>	<b>Radar</b>	
			<b>Speed</b>	<b>0</b>	
			<b>Units</b>	<b>US</b>	
<b>Node</b>	<input checked="" type="radio"/> <b>1</b>	<input type="radio"/> <b>2</b>			
<b>Dual Flow %</b>	<b>0</b>	<b>Flow/Shaft</b>	<b>Off</b>	<b>Smoothing</b>	<b>On</b>
<b>Off Rate %</b>	<b>25</b>	<b>Vac/Bin Alarm</b>	<b>Off</b>	<b>Agitator</b>	<b>Off</b>
<b>Low Tank</b>	<b>0.0</b>	<b>Decimal Shift</b>	<b>Off</b>	<b>Ratio Rate</b>	<b>Off</b>
<b>Low Limit</b>	<b>0.0</b>	<b>Zero Shift</b>	<b>Off</b>		
<b>Tank Vol</b>	<b>0</b>	<b>Spreader</b>	<b>234</b>	<b>Pre Set Pw</b>	<b>0</b>
<b>Area/Hour</b>	<b>000.0</b>	<b>Valve Cal</b>	<b>743</b>	<b>Pw Freq</b>	<b>0</b>
<b>Vol/Min</b>	<b>000.0</b>	<b>Valve Cal 2</b>	<b>0</b>	<b>Ratio Rate</b>	<b>0</b>
<b>Rate Cal</b>	<b>250.0</b>	<b>Fan Cal</b>	<b>0</b>	<b>Valve Delay</b>	<b>0</b>
<b>Rate +/-</b>	<b>50.0</b>	<b>Min Pw</b>	<b>0</b>	<b>PWM</b>	<b>0</b>
<b>Density</b>	<b>70.0</b>	<b>Max Pw</b>	<b>0</b>		
<b>Pressure 1</b>	<b>----</b>	<b>Application</b> <b>Gran1</b>			
<b>Pressure 2</b>	<b>----</b>	<b>Fast Close Valve</b>			

**Spinner**

<b>CAN Controller Status</b>					
<b>Boom Cals</b>			<b>Miscellaneous</b>		
<b>1</b>	<b>960</b>		<b>Speed Sensor</b>	<b>Radar</b>	
<b>2</b>	<b>960</b>		<b>Speed Cal</b>	<b>600</b>	←
			<b>Self Test</b>	<b>0</b>	
			<b>Fan RPM</b>	<b>0</b>	
			<b>Speed Sensor</b>	<b>Radar</b>	
			<b>Speed</b>	<b>0</b>	
			<b>Units</b>	<b>US</b>	
<b>Node</b>	<input type="radio"/> <b>1</b>	<input checked="" type="radio"/> <b>2</b>			
<b>Dual Flow %</b>	<b>0</b>	<b>Flow/Shaft</b>	<b>Off</b>	<b>Smoothing</b>	<b>On</b>
<b>Off Rate %</b>	<b>80</b>	<b>Vac/Bin Alarm</b>	<b>Off</b>	<b>Agitator</b>	<b>Off</b>
<b>Low Tank</b>	<b>0.0</b>	<b>Decimal Shift</b>	<b>Off</b>	<b>Ratio Rate</b>	<b>Off</b>
<b>Low Limit</b>	<b>0.0</b>	<b>Zero Shift</b>	<b>Off</b>		
<b>Tank Vol</b>	<b>0</b>	<b>Spreader</b>	<b>0</b>	<b>Pre Set Pw</b>	<b>0</b>
<b>Area/Hour</b>	<b>000.0</b>	<b>Valve Cal</b>	<b>743</b>	<b>Pw Freq</b>	<b>0</b>
<b>Vol/Min</b>	<b>000.0</b>	<b>Valve Cal 2</b>	<b>0</b>	<b>Ratio Rate</b>	<b>0</b>
<b>Rate Cal</b>	<b>700.0</b>	<b>Fan Cal</b>	<b>0</b>	<b>Valve Delay</b>	<b>0</b>
<b>Rate +/-</b>	<b>10.0</b>	<b>Min Pw</b>	<b>0</b>	<b>PWM</b>	<b>0</b>
<b>Density</b>	<b>40.0</b>	<b>Max Pw</b>	<b>0</b>		
<b>Pressure 1</b>	<b>0</b>	<b>Application Gran1</b>			
<b>Pressure 2</b>	<b>0</b>	<b>Fast Close Valve</b>			

600 for Raven Radar, 785 for Raven Satellite

**Duo-Force**

<b>CAN Controller Status</b>					
<b>Boom Cals</b>			<b>Miscellaneous</b>		
<b>1</b>	<b>960</b>		<b>Speed Sensor</b>	<b>Radar</b>	
<b>2</b>	<b>960</b>		<b>Speed Cal</b>	<b>600</b>	←
<b>3</b>	<b>960</b>		<b>Self Test</b>	<b>0</b>	
			<b>Fan RPM</b>	<b>0</b>	
			<b>Speed Sensor</b>	<b>Radar</b>	
			<b>Speed</b>	<b>0</b>	
			<b>Units</b>	<b>US</b>	
<b>Node</b>	<input type="radio"/>	<b>1</b>	<input type="radio"/>	<b>2</b>	<input checked="" type="radio"/>
					<b>3</b>
<b>Dual Flow %</b>	<b>0</b>	<b>Flow/Shaft</b>	<b>Off</b>	<b>Smoothing</b>	<b>On</b>
<b>Off Rate %</b>	<b>25</b>	<b>Vac/Bin Alarm</b>	<b>Off</b>	<b>Agitator</b>	<b>Off</b>
<b>Low Tank</b>	<b>0.0</b>	<b>Decimal Shift</b>	<b>Off</b>	<b>Ratio Rate</b>	<b>Off</b>
<b>Low Limit</b>	<b>0.0</b>	<b>Zero Shift</b>	<b>Off</b>		
<b>Tank Vol</b>	<b>0</b>	<b>Spreader</b>	<b>125</b>	<b>Pre Set P<sub>w</sub></b>	<b>75</b>
<b>Area/Hour</b>	<b>000.0</b>	<b>Valve Cal</b>	<b>33</b>	<b>P<sub>w</sub> Freq</b>	<b>50</b>
<b>Vol/Min</b>	<b>000.0</b>	<b>Valve Cal 2</b>	<b>0</b>	<b>Ratio Rate</b>	<b>0</b>
<b>Rate Cal</b>	<b>250.0</b>	<b>Fan Cal</b>	<b>0</b>	<b>Valve Delay</b>	<b>0</b>
<b>Rate +/-</b>	<b>50.0</b>	<b>Min P<sub>w</sub></b>	<b>24</b>	<b>PWM</b>	<b>0</b>
<b>Density</b>	<b>70.0</b>	<b>Max P<sub>w</sub></b>	<b>253</b>		
<b>Pressure 1</b>	<b>----</b>	<b>Application</b> <b>Gran1</b>			
<b>Pressure 2</b>	<b>----</b>	<b>PWM Close Valve</b>			

600 for Raven Radar, 785 for Raven Satellite

**Tri-Force**

<b>CAN Controller Status</b>					
<b>Boom Cals</b>			<b>Miscellaneous</b>		
<b>1</b>	<b>960</b>		<b>Speed Sensor</b>	<b>Radar</b>	
<b>2</b>	<b>960</b>		<b>Speed Cal</b>	<b>600</b>	← 600 for Raven Radar, 785 for Raven Satellite
<b>3</b>	<b>960</b>		<b>Self Test</b>	<b>0</b>	
<b>4</b>	<b>960</b>		<b>Fan RPM</b>	<b>0</b>	
			<b>Speed Sensor</b>	<b>Radar</b>	
			<b>Speed</b>	<b>0</b>	
			<b>Units</b>	<b>US</b>	
<b>Node</b>	<input type="radio"/> <b>1</b>	<input type="radio"/> <b>2</b>	<input type="radio"/> <b>3</b>	<input checked="" type="radio"/> <b>4</b>	
<b>Dual Flow %</b>	<b>0</b>	<b>Flow/Shaft</b>	<b>Off</b>	<b>Smoothing</b>	<b>On</b>
<b>Off Rate %</b>	<b>25</b>	<b>Vac/Bin Alarm</b>	<b>Off</b>	<b>Agitator</b>	<b>Off</b>
<b>Low Tank</b>	<b>0.0</b>	<b>Decimal Shift</b>	<b>Off</b>	<b>Ratio Rate</b>	<b>Off</b>
<b>Low Limit</b>	<b>0.0</b>	<b>Zero Shift</b>	<b>Off</b>		
<b>Tank Vol</b>	<b>0</b>	<b>Spreader</b>	<b>700</b>	<b>Pre Set P<sub>w</sub></b>	<b>35</b>
<b>Area/Hour</b>	<b>000.0</b>	<b>Valve Cal</b>	<b>33</b>	<b>P<sub>w</sub> Freq</b>	<b>50</b>
<b>Vol/Min</b>	<b>000.0</b>	<b>Valve Cal 2</b>	<b>0</b>	<b>Ratio Rate</b>	<b>0</b>
<b>Rate Cal</b>	<b>250.0</b>	<b>Fan Cal</b>	<b>0</b>	<b>Valve Delay</b>	<b>0</b>
<b>Rate +/-</b>	<b>50.0</b>	<b>Min P<sub>w</sub></b>	<b>24</b>	<b>PWM</b>	<b>0</b>
<b>Density</b>	<b>70.0</b>	<b>Max P<sub>w</sub></b>	<b>75</b>		
<b>Pressure 1</b>	<b>----</b>			<b>Application</b>	<b>Gran1</b>
<b>Pressure 2</b>	<b>----</b>			<b>PWM Close Valve</b>	

**Quad-Force**

<b>CAN Controller Status</b>					
<b>Boom Cals</b>			<b>Miscellaneous</b>		
<b>1</b>	<b>960</b>		<b>Speed Sensor</b>	<b>Radar</b>	
<b>2</b>	<b>960</b>		<b>Speed Cal</b>	<b>600</b>	←
<b>3</b>	<b>960</b>		<b>Self Test</b>	<b>0</b>	
<b>4</b>	<b>960</b>		<b>Fan RPM</b>	<b>0</b>	
<b>5</b>	<b>960</b>		<b>Speed Sensor</b>	<b>Radar</b>	
			<b>Speed</b>	<b>0</b>	
			<b>Units</b>	<b>US</b>	
<b>Node</b>	<input type="radio"/> <b>1</b>	<input type="radio"/> <b>2</b>	<input type="radio"/> <b>3</b>	<input type="radio"/> <b>4</b>	<input checked="" type="radio"/> <b>5</b>
<b>Dual Flow %</b>	<b>0</b>	<b>Flow/Shaft</b>	<b>Off</b>	<b>Smoothing</b>	<b>On</b>
<b>Off Rate %</b>	<b>25</b>	<b>Vac/Bin Alarm</b>	<b>Off</b>	<b>Agitator</b>	<b>Off</b>
<b>Low Tank</b>	<b>0.0</b>	<b>Decimal Shift</b>	<b>Off</b>	<b>Ratio Rate</b>	<b>Off</b>
<b>Low Limit</b>	<b>0.0</b>	<b>Zero Shift</b>	<b>Off</b>		
<b>Tank Vol</b>	<b>0</b>	<b>Spreader</b>	<b>700</b>	<b>Pre Set P<sub>w</sub></b>	<b>255</b>
<b>Area/Hour</b>	<b>000.0</b>	<b>Valve Cal</b>	<b>43</b>	<b>P<sub>w</sub> Freq</b>	<b>50</b>
<b>Vol/Min</b>	<b>000.0</b>	<b>Valve Cal 2</b>	<b>0</b>	<b>Ratio Rate</b>	<b>0</b>
<b>Rate Cal</b>	<b>250.0</b>	<b>Fan Cal</b>	<b>0</b>	<b>Valve Delay</b>	<b>0</b>
<b>Rate +/-</b>	<b>50.0</b>	<b>Min P<sub>w</sub></b>	<b>35</b>	<b>PWM</b>	<b>0</b>
<b>Density</b>	<b>70.0</b>	<b>Max P<sub>w</sub></b>	<b>255</b>		
<b>Pressure 1</b>	<b>----</b>	<b>Application</b> <b>Gran1</b>			
<b>Pressure 2</b>	<b>----</b>	<b>PWM Close Valve</b>			

600 for Raven Radar, 785 for Raven Satellite